

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name DEREK STEELE INTERNATIONAL	Emergency Telephone Number
Address (Number, Street, City, State and ZIP Code)	Telephone Number for Information
	Date Prepared
	Signature of Preparer (optional)

Section II – Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)

Section III – Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H²O = 1)	1.04
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A

Solubility in Water
 DISPERSIBLE Viscosity - Centipoises 800-1,000 cP pH 9

Appearance and Odor
 Light Blue Color; Mild Odor

Section IV – Fire and Explosion Hazard Data

Flash Point (Method Used) 175 deg. C.O.C.	Flammable Limits N/A	LEL N/A	UEL N/A
---	--------------------------------	-------------------	-------------------

Extinguishing Media
 CO 2/ABC

Special Fire Fighting Procedures
 NONE

Unusual Fire and Explosion Hazards
 NONE

